

STOOL COLLECTION | INVESTIGATION FOR ENTERIC PROTOZOA

Your prescriber has requested you collect your stools. You are to perform this simple test at home. The stool analysis helps to identify stomach, intestinal and other digestive system problems.

EQUIPMENT REQUIRED

- Sterile graduated container.
- Stick (e.g., a tongue depressor) or plastic spoon.
- Dry, clean container available at home, that you will discard after use, or transparent cling wrap (Saran Wrap).



INSTRUCTIONS

- Do not urinate while collecting your stools. Your stools must have no contact with your urine, toilet seat or toilet water.
- Do not use toilet paper to collect your stools.

HOW TO COLLECT A STOOL SAMPLE

- 1. Wash your hands with soap and water for 20 seconds and then dry them.
- 2. Choose the collection method that suits you best among the following:

If you are using a container

• Choose a clean container that you will discard after use. Place the container on the closed toilet lid.

If you are using transparent cling wrap

• Firmly install one or two layers of transparent cling wrap (Saran Wrap) under the toilet seat, creating a depression in the centre.





- 3. Do your bowel movement.
- 4. Using the stick or spoon, transfer the equivalent of one egg yolk into the sterile container. Prefer liquid or soft stools to solid ones.
- 5. Close the lid.

LABELLING THE CONTAINER

- Make sure the following are labelled on the container:
 - o your last name and first name;
 - o your medical insurance number (RAMQ);
 - o the sample type and site, when applicable (e.g.: throat, sputum, right ear, etc.).
- Write the DATE AND TIME of the sample on the designated label, taking care not to write on the bar code.
- Note the hours as follows:
 - o 11:59 p.m. to indicate midnight;
 - o 8:00 a.m. to indicate the morning.
- Make sure that all of the information is exact, clear and legible.
- Samples that do not contain all of the information will not be analyzed in the laboratory.

WHEN AND WHERE TO RETURN YOUR STOOL SAMPLE

 To guarantee the quality of the test, return your containers in a sealable waterproof bag within a maximum of 48 hours, follow the guidelines in the table below

Type of examination	Number of specimens required	Storage
ENTERIC PROTOZOA	1 containers (orange lids)	Refrigerator at 4 °C (Do not freeze the samples)

- Remember to bring the prescription given to you by your prescriber, if applicable.
- Put your container bag in a second bag along with your prescription.
- Return your containers to a CIUSSS de l'Estrie CHUS collection centre. To learn more about locations and business hours, visit santeestrie.qc.ca/sampling.

DO YOU HAVE ANY QUESTIONS?



santeestrie.qc.ca/sampling



Author

Laboratory medicine team

Approval

Dr. Louiselle Leblanc microbiologist

Revision and layout

Service des communications

Direction des ressources humaines, des communications et des affaires juridiques

Document management code | INS-CP-3107-FP-Culture et Parasites Selles

© Centre intégré universitaire de santé et de services sociaux de l'Estrie – Centre hospitalier universitaire de Sherbrooke 2020

santeestrie.qc.ca

June 2023 – 4-6-11844 (French version) | 4-6-11845 (English version)

Centre intégré
universitaire de santé
et de services sociaux
de l'Estrie – Centre
hospitalier universitaire
de Sherbrooke

QUÉDEC